


HUDSON-ESSEX-PASSAIC SOIL CONSERVATION DISTRICT STANDARD NOTES

GENERAL NOTES


1. ALL SOIL EROSION AND SEDIMENT CONTROL PRACTICES ON THIS PLAN SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE "NEW JERSEY STANDARDS FOR SOIL EROSION AND SEDIMENT CONTROL" (LAST REVISED IN JULY 1999). THESE MEASURES SHALL BE INSTALLED PRIOR TO ANY MAJOR SOIL DISTURBANCE OR IN THEIR PROPER SEQUENCE AND MAINTAINED UNTIL PERMANENT PROTECTION IS ESTABLISHED.
2. ALL SOIL TO BE STOCKPILED FOR A PERIOD OF GREATER THAN 30 DAYS WILL BE TEMPORARILY SEEDED AND HAY MULCHED (OR HYDROSEDED).
(NOT APPLICABLE FOR MUCK EXCAVATION STOCKPILING WHICH IS TO BE COVERED WITH AN IMPERVIOUS LINER)
3. DISTURBED AREAS SHALL BE MAINTAINED IN A ROUGH GRADED CONDITION AND TEMPORARILY SEEDED AND HAY MULCHED (OR HYDROSEDED) UNTIL PROPER WEATHER EXISTS FOR THE ESTABLISHMENT OF PERMANENT VEGETATIVE COVER.
4. SEEDING DATES: THE FOLLOWING SEEDING DATES ARE RECOMMENDED TO ESTABLISH PERMANENT VEGETATIVE COVER: SPRING - MARCH 15 - MAY 30
FALL - AUGUST 15 - OCTOBER 15
5. SEDIMENT FENCES ARE TO REMAIN IN PLACE AND MAINTAINED PROPERLY UNTIL PERMANENT VEGETATIVE COVER HAS BEEN ESTABLISHED.
6. ALL STORM DRAINAGE INLETS SHALL BE PROTECTED WITH GRAVEL FILTER, FABRIC FILT OR HAY BALES UNTIL VEGETATION AND PAVING HAS BEEN ESTABLISHED.
7. MULCH MATERIALS SHALL BE UNROTTED SALT HAY OR SMALL GRAIN STRAW APPLIED AT THE RATE OF AT LEAST 1.5 TONS PER ACRE (75 POUNDS PER 1000 SQUARE FEET). IN NO CASE SHALL MORE THAN FIVE DAYS (48 HOURS FOR THIS PROJECT) ELAPSE BETWEEN SEEDING AND MULCHING, OR BY HYDROSEEDING AS PER THE MANUFACTURES SPECIFICATIONS.
8. ANY DAMAGE INCURRED BY EROSION SHALL BE RECTIFIED IMMEDIATELY.
9. ALL EROSION CONTROL DEVICES SHALL BE INSPECTED AND MAINTAINED PERIODICALLY.
10. ALL STORM DRAINAGE OUTLET POINTS WILL BE PROTECTED AS REQUIRED BEFORE THEY BECOME FUNCTIONAL.
11. THE HUDSON-ESSEX-PASSAIC SOIL EROSION CONSERVATION DISTRICT SHALL BE NOTIFIED AT LEAST 72 HOURS PRIOR TO ANY SOIL DISTURBANCE.
12. THE APPLICANT MUST OBTAIN A DISTRICT ISSUED REPORT OF COMPLIANCE STATING THAT ALL DISTURBED SOIL HAS BEEN PERMANENTLY STABILIZED. PLEASE GIVE THE DISTRICT ONE WEEK NOTICE TO SCHEDULE THIS INSPECTION.
13. A BOND WILL BE ACCEPTED BY THE DISTRICT TO ISSUE A TEMPORARY REPORT OF COMPLIANCE WHEN SNOW COVER PROHIBITS THE PROPER SEED, MULCH OR HYDROSEED APPLICATION.
14. PAVED ROADWAYS MUST BE KEPT CLEAN AT ALL TIMES. DO NOT USE A FIRE OR GARDEN HOSE TO CLEAN ROADS, UNLESS RUNOFF IS DIRECTED TO A PROPER SEDIMENT BASIN.
15. ALL SURFACES ARE TO BE TREATED WITH SIX INCHES OF TOPSOIL PRIOR TO SEEDING.
16. ALL PLAN REVISIONS MUST BE SUBMITTED TO THE DISTRICT FOR PROPER REVIEW.
17. A CRUSHED STONE WHEEL CLEANING "TRACKING PAD" IS TO BE INSTALLED AT ALL SITE EXITS USING 2 1/2 INCH STONE (TEMPORARY STONE, GRADE B) TO A LENGTH OF AT LEAST 100 FEET. ALL DRIVEWAYS MUST EXHIBIT THIS ITEM IN THE DRIVE DURING CONSTRUCTION.
18. MAXIMUM SIDE SLOPES SHALL NOT EXCEED 2:1 UNLESS APPROVED BY THE DISTRICT (1.5:1 SLOPES ARE PROPOSED ADJACENT TO THE MSE WALLS).
19. ALL DEWATERING OPERATIONS SHALL DISCHARGE INTO AN APPROVED SEDIMENT BASIN.
20. THE DISTRICT MUST BE NOTIFIED, IN WRITING, FOR THE SALE OF ANY PORTION OF THE PROJECT OR FOR THE SALE OF ANY BUILDING LOTS. NEW OWNER'S NAME(S), ADDRESS, AND PHONE NO. SHALL BE PROVIDED TO THE DISTRICT.



TES:

- THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION WHICH WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC RIGHTS-OF-WAY. THIS MAY REQUIRE PERIODIC TOP DRESSING WITH ADDITIONAL STONE OR ADDITIONAL LENGTH AS CONDITIONS DEMAND, AND REPAIR AND/OR CLEAN OUT OF ANY MEASURES USED TO TRAP SEDIMENT. ALL SEDIMENT SPILLED, DROPPED, WASHED OR TRACKED ONTO PUBLIC RIGHTS-OF-WAY MUST BE REMOVED IMMEDIATELY.

STABILIZED CONSTRUCTION ENTRANCE TRACKING PAD




GENERAL CONSTRUCTION SEQUENCE

1. MAINTAIN TRACKING PADS AT ALL PROPOSED SITE ACCESS LOCATIONS.
2. MAINTAIN SILT FENCE INSTALLED BY PREVIOUS CONTRACT. INSTALL PROPOSED SILT FENCE AND OTHER SOIL EROSION AND SEDIMENT CONTROL ITEMS AT ALL LOCATIONS IN ACCORDANCE WITH THE CONTRACT PLANS AND APPROVED PERMITS.
3. SET UP CONSTRUCTION STAGING AREAS.
4. THERE WILL BE NO AVAILABLE ACCESS FROM ANY ROADWAYS OR CROSSING OF NEW JERSEY TRANSIT PROPERTY.

SIP-202

5. REMOVE EXISTING OVERBURDEN DOWN TO ROADWAY TEMPLATE GRADES AND RETURN EXCESS MATERIAL TO CONTRACTS SIP-103, SIP-301, SDE-401 AS DIRECTED BY ENGINEER. RE-INSTALL (RESET) SILT FENCE, ALONG EDGE OF SHOULDER, RE-INSTALL (RESET) ORANGE SNOW FENCE, ALONG EDGE OF SILT FENCE FOR FALL PROTECTION.
6. INSTALL PILES FOR PENHORN CREEK BRIDGE AND TOLL PLAZA TUNNEL, CANOPY, AND UTILITY BUILDING.
7. CONSTRUCT BRIDGE ABUTMENTS, SUPERSTRUCTURES, AND TOLL PLAZA FACILITIES.
8. CONSTRUCT ROADWAY FACILITIES INCLUDING DRAINAGE, UNDERGROUND SERVICE UTILITIES, SUBGRADE, BASE COURSE, PAVEMENTS, CONCRETE PANEL FACING AND PARAPETS FOR RETAINING WALL NUMBERS 1-4, LIGHTING, SIGNING AND STRIPING, AND LANDSCAPING IN THE VICINITY OF THE UTILITY BUILDING.



INLET FILTERS

	BY	DATE
MADE	XXX	XX-XX-XX
TRACED	XXX	XX-XX-XX
CHECKED	XXX	XX-XX-XX
SUPERVISED	X.XXXX	

No.	DATE	REVISION

NAME OF CONSULTANT
ADDRESS
CERTIFICATE OF AUTHORIZATION NO. xxxxxxxxxxxx
SCALE: NONE
DATE: MAY 2008
20
69
JOHN DOE